

BP BendPak®

SERVICE LIFTS



\$3,045

XPR-10AS

- 10,000 lb capacity 2-Post Lift
- Max. Lift Height - 73"
- Width - 137" or 145"
- Height - 145"



\$4,660

XPR-12CL

- 12,000 lb capacity 2-Post Lift
- Max. Lift Height - 74"
- Width - 155"
- Height - 170"



\$8,915

XPR-18CL

- 18,000 lb capacity 2-Post Lift
- Max. Lift Height - 74"
- Width - 155"
- Height - 170"



\$1,720

LR-60

- 6,000 lb capacity Low-Rise lift
- Lift Pad Dimensions - 18" x 53"
- Height Range - 4" - 26"



\$2,870

LR-5T

- 10,000 lb capacity Low-Rise lift
- Lift Pad Dimensions - 24" x 53"
- Height Range - 4" - 22.75"

\$5,000

HDS-14X

- 14,000 lbs. capacity 4-Post lift
- Max. Rise - 70"
- Runway Length - 229"
- Width - 130"
- Length - 271"



\$8,285

HDSO-14AX

- 14,000 lbs. capacity Alignment lift
- Max. 2 Wheel Align. - 182"
- Max. Rise - 70"
- Runway Length - 199"
- Width - 143"
- Length - 243"



\$21,360

HDS-40

- 40,000 lb capacity 4-Post lift
- Max. Rise - 60"
- Runway Length - 263"
- Width - 154"
- Length - 297"



\$14,655

XR-12000A

- 12,000 lb capacity Alignment lift
- Overall Width 88"
- Overall Length 281.25"
- Runway Width 24"
- Length of Runways 219.5"
- Max. 2-Wheel Align. 194"
- Max. Lifting Height 75"



BP BendPak®

\$10,855 SPECIALTY LIFTS

XR-12000

- 6,000 lb cantilever parking lift
- Better for low ceilings
- Platform length: 135"
- Overall height: 74"
- Maximum rise of 68"
- 220 volt power



\$4,715

SP-7X

- 7,000 lb high rise scissor
- Minimum height: 5"
- Maximum height: 68"
- 220 volt power



\$1,295

RBJ6000

- 6,000 lb lifting capacity
- Steel lifting pads standard
- Minimum arm reach: 40.25"
- Maximum arm reach: 63.25"
- Min. - Max. support arm width: 35" - 45.5"



\$2,755

MDS-6LP

- 6,000 lb open center scissor lift
- 4" x 1.5" rubber blocks included
- Min. height of 4.25" w/o rubber blocks
- Max. height of 45.5" w/ rubber blocks
- 110 volt power



\$2,065

MD-6XP

- 6,000 lb portable mid-rise lift
- Minimum height: 4.75"
- Maximum height: 48" w/o adapters
- Truck adapters included
- 110 volt power

\$23,205

PCL-18B

- 18,000 lb Portable Column Lift
- Better for low ceilings
- Platform length: 135"
- Overall height: 74"
- Maximum rise of 68"
- 220 volt power



Low Rise Lifts

- LR-60** - 6,000 lb / **P-6B** - 6,000 lb
- Min. height: 4" w/o rubber blocks
 - Max. height: 26" w/o rubber blocks
 - Additional rubber blocks included
 - Multi-position safety locks
 - 110 volt power

- P-9000** - 9,000 lb / **LR-5T** - 10,000 lb
- Min. height: 3.5" w/o rubber blocks
 - Max. height: 23" w/o rubber blocks
 - Additional rubber blocks included (**P-9000**)
 - Additional 8-pc adapter set included (**LR-5T**)
 - 110 volt power

\$1,160

MLS-18

- 18,000 lb capacity
- Adjustable from 48.75" to 74.5"
- Free standing
- 9 pin positions



\$1,740 LR-60P



P-6B
\$2,240



\$3,290 P-9000



LR-5T
\$2,870

\$2,945
HD-9



BP BendPak®

PARKING LIFTS

HD-9 Series

- 9000 lb 4 post service / parking lift
- **HD-9** - Single wide
152" max wheelbase / max lift 74"
Overall - 200" long x 110" wide
- **HD-9SWX** - Double wide
176" max wheelbase / max lift 89"
Overall - 224" long x 202" wide
- 110 or 220 volt power
- Other configurations available
- Caster kits, drip trays & solid decks available

\$6,995
HD-9SWX



\$4,250

PLT-6S

- 6000 lb cantilever parking lift
- Ideal for low ceilings
- Platform length: 135"
- Overall height: 74"
- Maximum rise of 68"
- 220 volt power



\$4,545

PL-7000XR

- 7000 lb 2 post parking lift
- Free standing
- Platform length: 157.5"
- Overall height: 131"
- Maximum rise of 85"
- 220 volt power



\$14,190

PL-14000

- 14,000 lb 3 level parking lift
- 7000 lb max per deck
- Multiple units use shared uprights to save space
- Free standing
- Platform: 155" x 95"
- Overall height: 280"
- 220 or 440 volt power



\$19,500

PL-18000

- 18,000 lb 4 level parking lift
- 6000 lb max per deck
- Multiple units use shared uprights to save space
- Free standing
- Platform: 155" x 95"
- Overall height: 364"
- 220 or 440 volt power

Starting at

\$12,990

PL-6KDT / PL-6KDTX

- 6,000 lb capacity per deck
- Built-in wheel stops
- Lifting time 30 seconds
- **6KDT** overall width: 211"
- **6KDTX** overall width: 250"
- Overall length: 236.5"
- Height of columns: 103"



\$17,885

PL-6KT

- 6,000 lb capacity per deck
- Built-in wheel stops
- Lifting time 30 seconds
- Overall width: 308"
- Overall length: 236.5"
- Height of columns: 103"

